

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008
Expiration Date: July 31, 2015

SECTION A - PROPERTY INFORMATION

A1. Building Owner's Name Nunes Vegetable, Inc.		FOR INSURANCE COMPANY USE	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 350 Hueneme Road		Policy Number:	
City Camarillo State CA ZIP Code 93012		Company NAIC Number:	
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Assessor's Parcel Map 234-0-090-850, Parcel 1 Lot Line Adjustment Doc. No. 20010050033 O.R.			
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Non-residential (diesel fuel & fertilizer storage tanks)			
A5. Latitude/Longitude: Lat. 34.155661 Long. -119.079551		Horizontal Datum: ☐ NAD 1927 ☒ NAD 1983	
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.			
A7. Building Diagram Number N/A			
A8. For a building with a crawlspace or enclosure(s):		A9. For a building with an attached garage:	
a) Square footage of crawlspace or enclosure(s) N/A sq ft		a) Square footage of attached garage N/A sq ft	
b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade N/A		b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade N/A	
c) Total net area of flood openings in A8.b N/A sq in		c) Total net area of flood openings in A9.b N/A sq in	
d) Engineered flood openings? ☐ Yes ☒ No		d) Engineered flood openings? ☐ Yes ☒ No	

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP Community Name & Community Number Ventura County (Unincorporated areas) 060413		B2. County Name Ventura County		B3. State CA	
B4. Map/Panel Number 06111C/0937E/0939E	B5. Suffix E	B6. FIRM Index Date 01/20/2010	B7. FIRM Panel Effective/ Revised Date 01/20/2010	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 25'
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: ☐ FIS Profile ☒ FIRM ☐ Community Determined ☐ Other/Source:					
B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source:					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☒ No Designation Date: N/A / / ☐ CBRS ☐ OPA N/A					

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* ☒ Finished Construction
*A new Elevation Certificate will be required when construction of the building is complete.

C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete items C2.a-h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.

Benchmark Utilized: **VCPID 458 (25-341 RM)** Vertical Datum: **21.53 ft.**

Indicate elevation datum used for the elevations in items a) through h) below. ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source:

Datum used for building elevations must be the same as that used for the BFE.


	Check the measurement used.	
	☐ feet	☐ meters
a) Top of bottom floor (including basement, crawlspace, or enclosure floor)	N/A	☐ feet ☐ meters
b) Top of the next higher floor	N/A	☐ feet ☐ meters
c) Bottom of the lowest horizontal structural member (V Zones only)	N/A	☐ feet ☐ meters
d) Fuel tank/fertilizer tanks Attached garage (top of slab)	19 58 average	☒ feet ☐ meters
e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)	21 99	☒ feet ☐ meters
f) Lowest adjacent (finished) grade next to building (LAG)	19 .08	☒ feet ☐ meters
g) Highest adjacent (finished) grade next to building (HAG)	19 14	☒ feet ☐ meters
h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support	N/A	☐ feet ☐ meters


SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

☐ Check here if comments are provided on back of form.
☒ Check here if attachments.

Were latitude and longitude in Section A provided by a licensed land surveyor? ☒ Yes ☐ No

Certifier's Name John R. Dickerson, P.E.		License Number RCE 18481	
Title Professional Engineer		Company Name VCE Services, Inc.	
Address 1591 Los Angeles Avenue, Suite 2		City Ventura	State CA
Signature 		Date 2/31/15	ZIP Code 93012
		Telephone (805) 659-4005	



ELEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 350 Hueneme Road			Policy Number:	
City Camarillo	State CA	ZIP Code 93012	Company NAIC Number:	

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments Elevations: Diesel fuel tank 19.55 ft/Westerly fertilizer tank 19.56 ft/Easterly fertilizer tank 19.55 ft. Lowest elevation of electrical equipment servicing tanks: Diesel fuel tank 19.55 ft/Westerly fertilizer tank 19.55 ft/Easterly fertilizer tank 19.56 ft.
Description and location: electrical switch box for diesel fuel tank located on light pole. No electrical equipment below tank top.

Signature [Signature] Date 8/31/15

SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

- E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).
- a) Top of bottom floor (including basement, crawlspace, or enclosure) is N/A ☐ feet ☐ meters ☐ above or ☐ below the HAG.
- b) Top of bottom floor (including basement, crawlspace, or enclosure) is N/A ☐ feet ☐ meters ☐ above or ☐ below the LAG.
- E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is N/A ☐ feet ☐ meters ☐ above or ☐ below the HAG.
- E3. Attached garage (top of slab) is N/A ☐ feet ☐ meters ☐ above or ☐ below the HAG.
- E4. Top of platform of machinery and/or equipment servicing the building is N/A ☐ feet ☐ meters ☐ above or ☐ below the HAG.
- E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? ☐ Yes ☐ No ☐ Unknown. The local official must certify this information in Section G. N/A

SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.

Property Owner or Owner's Authorized Representative's Name
Nunes Vegetable, Inc.

Address
350 Hueneme Road

City Camarillo State CA ZIP Code 93012

Signature [Signature] Date 8/31/15 Telephone (805) 659-4005

Comments

☒ Check here if attachments.

SECTION G - COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8-G10. In Puerto Rico only, enter meters.

- G1. ☒ The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2. ☐ A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3. ☒ The following information (Items G4-G10) is provided for community floodplain management purposes.

G4. Permit Number <u>FP 2012-28</u>	G5. Date Permit Issued <u>12-19-2012</u>	G6. Date Certificate Of Compliance/Occupancy Issued <u>12-8-2015</u>
--	---	---

G7. This permit has been issued for: ☒ New Construction ☐ Substantial Improvement

G8. Elevation of as-built lowest floor (including basement) of the building: 19.08 ☒ feet ☐ meters Datum 1988 NAVD

G9. BFE or (in Zone AO) depth of flooding at the building site: 25.0 ☒ feet ☐ meters Datum 1988 NAVD

G10. Community's design flood elevation: 26.0 ☒ feet ☐ meters Datum 1988 NAVD


Local Official's Name Raymond Gutierrez, Jr. Title Manager Development and Inspection Services Division

Community Name Ventura County (unincorporated areas) Telephone (805) 654-2059

Signature [Signature] Date 12-8-2015

Comments

Tanks have secondary containment which protects tanks from flood waters. Electrical service is also protected by this secondary containment system. (see photos attached)



SCALE: 1" = 10'		DRAWN BY: JA	
SHEET 1 OF 1		CHECKED BY: JA	
JOB NO. 1051		DATE: 05-22-2015	
CERTIFICATE OF ELEVATION SKETCH COUNTY OF VENTURA - STATE OF CALIFORNIA 350 HUENEME ROAD - CAMARILLO, CA - APN: 234-O-090-050 FLOOD PLAIN DEVELOPMENT PERMIT PP 2012-28			
YCE SERVICES, INC.		1591 LOS ANGELES AVENUE - SUITE 2 - VENTURA, CALIFORNIA - 93004 - (805)654-4005	


Handwritten signature

BUILDING PHOTOGRAPHS

Form 10-10-15 for FD-302 (A)

IMPORTANT: In these spaces, copy the corresponding information from Section A.		FOR INSURANCE COMPANY USE
Building name: With address and street name, including city, state and zip code. 350 HUENEME ROAD		Policy number
City CAMARILLO	State CA	Company Name

1. On the left side of the page, copy the name of the building and the address of the building. On the right side of the page, copy the name of the insurance company and the policy number. On the bottom of the page, copy the name of the person who took the photograph and the date the photograph was taken.




DATE TAKEN 6/1/15

SOUTH FACE

LOOKING NORTHWESTERLY

CONTINUED



DATE TAKEN - 6/1/15

SOUTH FACE
LOOKING NORTH

5235000 FT JOINS PANEL 0937

SITE

NUNES VEGETABLES, INC.
350 HUENEME ROAD
CAMARILLO, CA

HUENEME ROAD

LAS POSAS ROAD

PERMIT BASELINE

SITE


ZONE X

ZONE AE(25)

1% ANNUAL CHANCE FLOODPLAIN
FEMA-DETERMINED SPECIAL FLOOD
HAZARD AREA



MAP SCALE 1" = 500'



NFIP

PANEL 0939E

FIRM

FLOOD INSURANCE RATE MAP

NATIONAL FLOOD INSURANCE
PROGRAM
FEDERAL EMERGENCY
MANAGEMENT AGENCY
WASHINGTON, D.C.

PANEL 939 OF 1275



MAP NUMBER
06111C0939E


EFFECTIVE DATE
JANUARY 20 2010

Office of Information Management, FEMA

This map is a reproduction of the original map and does not reflect any changes made to the original map. This map is not to be used for any purpose other than for informational purposes. The map is not to be used for any purpose other than for informational purposes. The map is not to be used for any purpose other than for informational purposes.

12-8-2015

IMPORTANT: In these spaces, copy the corresponding information from Section A.		FORMS, RANCO COMPANY
1. Name of building and the lot and block and Subdiv. and Range and Township.		Plot Number
2. Name of owner.		County, State, and Number



DATE TAKEN 6/1/15

SOUTH FACE
LOOKING NORTHERLY

**FLOODPROOFING CERTIFICATE
FOR NON-RESIDENTIAL STRUCTURES**

OMB No. 1660-0008
Expiration Date: July 31, 2015

Diesel Fuel Tank

The floodproofing of non-residential buildings may be permitted as an alternative to elevating to or above the Base Flood Elevation; however, a floodproofing design certification is required. This form is to be used for that certification. Floodproofing of a residential building does not alter a community's floodplain management elevation requirements or affect the insurance rating unless the community has been issued an exception by FEMA to allow floodproofed residential basements. The permitting of a floodproofed residential basement requires a separate certification specifying that the design complies with the local floodplain management ordinance.

BUILDING OWNER'S NAME Nunes Vegetable, Inc.			
STREET ADDRESS (including Apt., Unit, Suite, and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 350 Hueneme Road			
OTHER DESCRIPTION (Lot and Block Numbers, etc.) APN-234-0-090-850, Parcel 1, Lot Line Adjustment Doc. No. 20010050033 O.R.			
CITY Camarillo	STATE CA	ZIP CODE 93012	

SECTION I – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM:

COMMUNITY NUMBER	PANEL NUMBER	SUFFIX	DATE OF FIRM ADOPTED	ZONE	BASE FLOOD ELEVATION (If All Zones, Use Debris)
060413	0939E	E	1/20/2010	AE	25'

Indicate elevation datum used for Base Flood Elevation shown above: ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source: _____

SECTION II – FLOODPROOFING INFORMATION (By a Registered Professional Engineer or Architect)

Elevations are based on: ☐ Construction Drawings ☐ Building Under Construction ☒ Finished Construction

Floodproofing Design Elevation Information:

~~Building is floodproofed~~ to an elevation of 26.01 feet (In Puerto Rico only: _____ meters). ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source: _____
(Elevation datum used must be the same as that used for the Base Flood Elevation.)

Height of floodproofing on the building above the lowest adjacent grade is 0.63 N/A feet (In Puerto Rico only: _____ meters). 12.8.2015

For Unnumbered A Zones Only:

Highest adjacent (finished) grade next to the building (HAG) N/A 12.8.2015 feet (In Puerto Rico only: _____ meters)

☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source: _____

(NOTE: For insurance rating purposes, the building's floodproofed design elevation must be at least 1 foot above the Base Flood Elevation to receive rating credit. If the building is floodproofed only to the Base Flood Elevation, then the building's insurance rating will result in a higher premium.)

SECTION III – CERTIFICATION (By a Registered Professional Engineer or Architect)

Non-Residential Floodproofed Construction Certification:

I certify that, based upon development and/or review of structural design, specifications, and plans for construction, the design and methods of construction are in accordance with accepted standards of practice for meeting the following provisions:

The structure, together with attendant utilities and sanitary facilities, is watertight to the floodproofed design elevation indicated above, with walls that are substantially impermeable to the passage of water.

All structural components are capable of resisting hydrostatic and hydrodynamic flood forces, including the effects of buoyancy, and anticipated debris impact forces.

I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME John R. Dickerson, P.E.		LICENSE NUMBER (or Affix Seal) RCE 18481	
TITLE Professional Engineer		COMPANY NAME VCE Services, Inc.	
ADDRESS 1591 Los Angeles Avenue, Suite 2	CITY Ventura	STATE CA	ZIP CODE 93004
SIGNATURE 	DATE 8/31/15	PHONE (805) 659-4005	

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

**FLOODPROOFING CERTIFICATE
FOR NON-RESIDENTIAL STRUCTURES**

OMB No. 1660-0008
Expiration Date: July 31, 2015

Easterly Fertilizer Tank

The floodproofing of non-residential buildings may be permitted as an alternative to elevating to or above the Base Flood Elevation; however, a floodproofing design certification is required. This form is to be used for that certification. Floodproofing of a residential building does not alter a community's floodplain management elevation requirements or affect the insurance rating unless the community has been issued an exception by FEMA to allow floodproofed residential basements. The permitting of a floodproofed residential basement requires a separate certification specifying that the design complies with the local floodplain management ordinance.

BUILDING OWNER'S NAME Nunes Vegetable, Inc.			
STREET ADDRESS (including Apt., Unit, Suite, and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 350 Hueneme Road			
OTHER DESCRIPTION (Lot and Block Numbers, etc.) APN-234-0-090-850, Parcel 1, Lot Line Adjustment Doc. No. 20010050033 O.R.			
CITY Camarillo	STATE CA	ZIP CODE 93012	

SECTION I – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM:

COMMUNITY NUMBER	PANEL NUMBER	SUFFIX	DATE OF FIRM INDEX	FIRM ZONE	BASE FLOOD ELEVATION (in AD Jones Use District)
060413	0939E	E	1/20/2010	AE	25'

Indicate elevation datum used for Base Flood Elevation shown above: ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source: _____

SECTION II – FLOODPROOFING INFORMATION (By a Registered Professional Engineer or Architect)

Elevations are based on: ☐ Construction Drawings ☐ Building Under Construction ☒ Finished Construction

Floodproofing Design Elevation Information:

Easterly Fertilizer Tank
Building is floodproofed to an elevation of 26.01 feet (in Puerto Rico only: _____ meters). ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source: _____
(Elevation datum used must be the same as that used for the Base Flood Elevation.)

Height of floodproofing on the building above the lowest adjacent grade is 0.63 N/A feet (in Puerto Rico only: _____ meters). *12.8.2015*

For Unnumbered A Zones Only:

Highest adjacent (finished) grade next to the building (HAG) N/A 12.8.2015 feet (in Puerto Rico only: _____ meters)

☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source: _____

(NOTE: For insurance rating purposes, the building's floodproofed design elevation must be at least 1 foot above the Base Flood Elevation to receive rating credit. If the building is floodproofed only to the Base Flood Elevation, then the building's insurance rating will result in a higher premium.)

SECTION III – CERTIFICATION (By a Registered Professional Engineer or Architect)

Non-Residential Floodproofed Construction Certification:

I certify that, based upon development and/or review of structural design, specifications, and plans for construction, the design and methods of construction are in accordance with accepted standards of practice for meeting the following provisions:

The structure, together with attendant utilities and sanitary facilities, is watertight to the floodproofed design elevation indicated above, with walls that are substantially impermeable to the passage of water.

All structural components are capable of resisting hydrostatic and hydrodynamic flood forces, including the effects of buoyancy, and anticipated debris impact forces.

I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME John R. Dickerson, P.E.		LICENSE NUMBER (or Atlix Seal) RCE 18481	
TITLE Professional Engineer		COMPANY NAME VCE Services, Inc.	
ADDRESS 1591 Los Angeles Avenue, Suite 2	CITY Ventura	STATE CA	ZIP CODE 93004
SIGNATURE <i>[Signature]</i>	DATE 8/31/15	PHONE (805) 659-4005	

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

**FLOODPROOFING CERTIFICATE
FOR NON-RESIDENTIAL STRUCTURES**

OMB No. 1660-0008
Expiration Date: July 31, 2015

Westerly Fertilizer Tank

The floodproofing of non-residential buildings may be permitted as an alternative to elevating to or above the Base Flood Elevation; however, a floodproofing design certification is required. This form is to be used for that certification. Floodproofing of a residential building does not alter a community's floodplain management elevation requirements or affect the insurance rating unless the community has been issued an exception by FEMA to allow floodproofed residential basements. The permitting of a floodproofed residential basement requires a separate certification specifying that the design complies with the local floodplain management ordinance.

BUILDING OWNER'S NAME Nunes Vegetable, Inc.		
STREET ADDRESS (including Apt., Unit, Suite, and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 350 Hueneme Road		
OTHER DESCRIPTION (Lot and Block Numbers, etc.): APN-234-0-090-850, Parcel 1, Lot Line Adjustment Doc. No. 20010050033 O.R.		
CITY Camarillo	STATE CA	ZIP CODE 93012

SECTION I - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM:

COMMUNITY NUMBER	PANEL NUMBER	SUFFIX	DATE OF FIRM ISSUE	FIRM ZONE	BASE FLOOD ELEVATION (in AO Zones Use Depth)
060413	0939E	E	1/20/2010	AE	25'

Indicate elevation datum used for Base Flood Elevation shown above: ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source: _____

SECTION II - FLOODPROOFING INFORMATION (By a Registered Professional Engineer or Architect)

Elevations are based on: ☐ Construction Drawings ☐ Building Under Construction ☒ Finished Construction

Floodproofing Design Elevation Information:

Westerly Fertilizer Tank
Building is floodproofed to an elevation of 26.01 feet (In Puerto Rico only: _____ meters). ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source: _____
(Elevation datum used must be the same as that used for the Base Flood Elevation.)

Height of floodproofing on the building above the lowest adjacent grade is 0.83 N/A feet (In Puerto Rico only: _____ meters).
12-8-2015
~~1988 NAVD~~

For Unnumbered A Zones Only:

Highest adjacent (finished) grade next to the building (HAG) is N/A feet (In Puerto Rico only: _____ meters).
12-8-2015
~~1988 NAVD~~

☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source: _____

(NOTE: For insurance rating purposes, the building's floodproofed design elevation must be at least 1 foot above the Base Flood Elevation to receive rating credit. If the building is floodproofed only to the Base Flood Elevation, then the building's insurance rating will result in a higher premium.)

SECTION III - CERTIFICATION (By a Registered Professional Engineer or Architect)

Non-Residential Floodproofed Construction Certification:

I certify that, based upon development and/or review of structural design, specifications, and plans for construction, the design and methods of construction are in accordance with accepted standards of practice for meeting the following provisions:

The structure, together with attendant utilities and sanitary facilities, is watertight to the floodproofed design elevation indicated above, with walls that are substantially impermeable to the passage of water.

All structural components are capable of resisting hydrostatic and hydrodynamic flood forces, including the effects of buoyancy, and anticipated debris impact forces.

I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME John R. Dickerson, P.E.	LICENSE NUMBER (or Affix Seal) RCE 18481		
TITLE Professional Engineer	COMPANY NAME VCE Services, Inc.		
ADDRESS 1591 Los Angeles Avenue, Suite 2	CITY Ventura	STATE CA	ZIP CODE 93004
SIGNATURE 	DATE 8/31/15	PHONE (805) 659-4005	

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.