

TRAFFIC SIGNALS




ROADS & TRANSPORTATION

800 S. Victoria Ave CA 93009-1620

Phone Number: (805) 654-2049

<https://publicworks.venturacounty.gov>



Each year, the Ventura County Public Works Agency (VCPWA-RT) receives many inquiries concerning the operation of traffic signals within the County. A better understanding of the function of traffic signals can improve driving habits by reducing speeding and associated traffic accidents. The more drivers know about the operation of traffic signals, the less they will be frustrated when waiting for a signal to change.

WHY ARE TRAFFIC SIGNALS NEEDED?

As traffic volumes increase beyond the capability of lesser controls such as a four-way stop, it may be necessary to install a traffic signal. Before installing a traffic signal at an intersection, established minimum criteria must be satisfied. A review includes:

- the amount of vehicular and pedestrian traffic;
- the need to provide interruption to the major flow for side street vehicles and pedestrians;
- special conditions such as hills and curves;
- the collision history of the intersection; and
- the proximity of schools.

ARE TRAFFIC SIGNALS THE ANSWER TO SOLVING TRAFFIC PROBLEMS?

Advantages of Traffic Signals

Signals offer maximum control at intersections. The primary function of any traffic signal is to assign right-of-way to conflicting movements of traffic at an intersection. This is done by permitting conflicting streams of traffic to share the same intersection by means of time separation.

By alternately assigning right-of-way to various traffic movements, signals provide for the orderly movement of conflicting flows. They may interrupt extremely heavy flows to permit the crossing of minor movements that could not otherwise move safely through an intersection.

When properly timed, a traffic signal increases the traffic handling capacity of an intersection. When installed under conditions that justify its use, a signal is a valuable device for improving the safety and efficiency of pedestrian, bicycle, and vehicular traffic. In particular, signals may reduce certain types of accidents—most notably right-angle (broadside) collisions.

Traffic Signals facilitate bicycle and pedestrian crossings at streets where it may be difficult to find adequate traffic gaps due to high traffic volumes and speeds.

Disadvantages of Traffic Signals

While many people realize that traffic signals can reduce the number of right-angle collisions at an intersection, few realize that signals may also cause a significant increase in rear-end collisions due to the cyclical stoppage of traffic flows.

There is an overall safety gain because increases in less severe rear-end collisions are offset by decreases in the more severe right-angle accidents. Traffic Signals are effective tools in providing orderly movement by assigning right-of-way to conflicting movements. However, placement of an unwarranted traffic signal at a location where there are no right-of-way assignment issues may potentially degrade the overall safety of the intersection.


Traffic signals are not a cure-all for traffic problems. The primary goal of the traffic engineer is to attain the safest and most efficient overall traffic flow possible. In addition to an increase in accident frequency, unjustified traffic signals can also cause excessive delay, disobedience of signals, and diversion of traffic to residential streets.

TRAFFIC SIGNAL EQUIPMENT

Traffic signals are costlier than is commonly realized, even though they represent a sound public investment when justified. The construction cost of a modern traffic signal can cost up to \$1,000,000. This amount pays for:

- a traffic signal controller,
- signal heads,
- vehicle detectors,
- signal poles and supports,
- signal interconnection,
- battery back-up system,
- electrical outdoor cabinet for meters, and
- advance warning flashing beacons.

The controller is the signal's brain. It consists of electrical or computer controls that operate the selection and timing of traffic movements in accordance with the varying demands of traffic as registered with the controller unit by detectors.



Signal faces are part of a signal head provided for controlling traffic in a single direction and consisting of one or more signal sections. These usually include solid red, yellow, and green lights, and sometimes red, yellow, and green turn arrow lights as well. The signal head can contain one or more signal faces.

Detectors are devices for indicating the passage or presence of vehicles. In the past, detectors consisted of wire loops placed in the pavement at intersections.

Today, sometimes video cameras or radar sensors may be used to detect vehicles to change the operation of the signal to serve the heaviest traffic movements.

REQUESTS AND INQUIRIES

If you have questions, requests or suggestions concerning traffic signals, please call the Public Works Agency – Roads & Transportation at: **(805) 654-2049** or by an email through the “Report a Concern” link at:

[VCPWA Connect \(https://publicworks.venturacounty.gov/report-a-concern/\)](https://publicworks.venturacounty.gov/report-a-concern/)